

AKIA

ULTRA L9



Distances getting closer





9 Meter Intercity Bus



35 Passenger Capacity



Eco-Friendly



Enriched with advanced technology
driver panel





Efficient interior volume and ergonomic design
more comfortable spaces





Eco-friendly design
**key to sustainable
transportation**

technical specifications

● standard
○ option

● standard
○ option

● standard
○ option

Driveline

Engine	●
Mercedes Benz OM 934 (130kW), Euro 6	
Gearbox	●
ZF EcoLite 6S 1010 BO Manuel	
Engine Cooling System	●
Radiator Intercooler	
Fuel Tank	●
215 Lt	
AdBlue Tank	●
25 Lt	

Climatization System

Air Conditioning System in Driver's Cabin	●
Defroster	
Air Conditioning System in Passenger Cabin	●
Air Conditioning	
Passenger Cabin Heating System	●
Convector Type Heater	
Auxiliary (Additional) Heating System	○
Pre Heater	

Lighting

Lighting	●
Front, Rear and Exterior Lighting - Led Lighting	

Camera and Surveillance System

Camera and Surveillance System	○
Analog Camera System	
IP Camera System	

Chassis

Front Axle	●
Rigid Axle	
Rear Axle	●
Portal Axle	
Front Axle Suspension	●
2 Units Bellows, 2 Units Shock Absorber, 1 Unit Balance Bar	
Rear Axle Suspension	●
4 Units Bellows, 4 Units Shock Absorber	
Central Lubrication Point	○
Central Lubrication Point	
Steering System	●
Servocom, Hydraulic	
Brake System	●
Knorr Bremse ABS, ASR	
Service Brake	●
Front-Rear Dual Circuit, Dry Air Pressure,	
Air Cooled Disc Brake	
Parking Brake	●
Compressed Air Operated, Rear Axle Actuated,	
Air Discharge Parking Brake with Automatic Safety Device	
Auxiliary Brake	●
Electromagnetic Retarder	

Electrical Installation

Electrical Installation	●
Can Bus Based System	

Audio and Video System

Audio and Video System	○
Radio System	
LCD Display Monitor	
Driver Speaker	

Additional Systems

Additional Systems	○
Engine Oil Automatic Filling System	
USB Charging Ports	
Fire Extinguisher System of Engine Area	●
Fire Extinguisher - 1 Unit	●

Bodywork

Body Structure	●
Monocoque body made of box profiles	
Entrance Height	340 mm
First Step Height for All Doors	
Number of Passenger Seats	●
Settlement Layout 35 Seated + 1 Driver	

Interior Section


Driver Area	●
Windshield Roller Blind - Manual Controlled	
Windshield Roller Blind - Electric Controlled	○
Driver Side Window Sunshade	●
Driver Seat - Air Type Seat With 3 Point Seat Belt	●
Steering - Height and Tilt Adjustment	●
Digital Tachograph	●
Passenger Area	○
Digital Clock / Temperature Display	
Passenger Side Window Curtain	●
Roof Interior Luggage Areas	●
Passenger Seats	●
Sponge, Fabric Covered, 2 Point Safety Belts	●

Exterior Section


Exterior Section	●
Side View Mirrors - Manuel Controlled	
Side View Mirrors - Mirror Camera System	○
Roof Hatches - 2 Units, Manuel Controlled	●
Roof Hatches - 2 Units, Electric Controlled	○
Paint	●
Acrylic Kiln-dried Paint	
Metallic Paint	○

Doors

Doors	●
2 Pcs, Outward Opening, Pneumatic Type (1-0-1)	




Ulaşım İç ve Dış Ticaret A.Ş., reserves the right to introduce modifications in line with technical progress and change the product specifications without any prior notice.





ULAŞIM
İç ve Dış Ticaret A.Ş.

444 2 985 

www.ulasim-as.com 

Hamzabey OSB Mh. 15. Cad. No: 8/1 inegol / Bursa / Turkey 